

ESD GARMENTS

Lab coat, comfortable and light. Thanks to the high conductive grid density (4%) it grants a perfect reduction of the user's electrostatic field.





| PRODUCT SPECIFICATIONS | |
|--|---|
| Material: | 96% cotton + 4% conductive fiber |
| Material weight: | 130 g./sqm. |
| Color: | WHITE - BLUE - LIGHT BLUE |
| Standard availability: | Q2CA01300xx - UNISEX 3/4 with 2 front pockets + 1 top pocket |
| Sizes: | From XS to 4 XL |
| ESD logo: | On the top pocket |
| • | on the top pocket |
| WASHING INSTRUCTIONS | on the top pocket |
| - | 30°C don't use bleaching agents, alkalis, chlorine, disinfection, softeners |
| WASHING INSTRUCTIONS | 30°C don't use bleaching agents, alkalis, chlorine, disinfection, |
| WASHING INSTRUCTIONS Washing instructions: | 30°C don't use bleaching agents, alkalis, chlorine, disinfection, softeners |

Point to point resistance Rp-p: Typical 10⁸ Ohm per IEC 61340-5-1 - ANSI/ESD STM 2.1

Decay time: Typical < 2 sec. per IEC 61340-2-1

Maintains its electrical properties according to EN 61340-5-1 after 50 normal washing cycles.

Complies with IEC 61340-5-1 TDS-Q2-05/19